



COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF GENERAL SERVICES  
DIVISION OF CONSOLIDATED LABORATORY SERVICES



Certifies that


VA Laboratory ID#: 460301  
Blue Ridge Analytical LLC  
2280 West Ridge Road  
Wytheville, VA 24382  
Owner: GARY MYCHEL JOHNSON

Having met the requirements of 1 VAC 30-46 and  
having been found compliant with the 2016 TNI Standard approved by The NELAC Institute  
is hereby approved as an

Accredited Environmental Laboratory

As more fully described in the attached Scope of Accreditation

Effective Date: **March 15, 2024**  
Expiration Date: **March 14, 2025**  
Certificate # **12788**

  
Denise M. Toney, Ph.D., HCLD  
DGS Deputy Director for Laboratories

Continued accreditation status depends on successful ongoing participation in the program.  
Certificate to be conspicuously displayed at the laboratory.  
Not valid unless accompanied by a valid Virginia Environmental Laboratory Accreditation Program (VELAP)  
Scope of Accreditation.  
Customers are urged to verify the laboratory's current accreditation status.

Certificate Not Transferable

Surrender Upon Revocation



Scope of Accreditation

VELAP Certificate No.: 12788

Blue Ridge Analytical LLC  
 2280 West Ridge Road  
 Wytheville, VA 24382

Virginia Laboratory ID: 460301  
 Effective Date: March 15, 2024  
 Expiration Date: March 14, 2025

DRINKING WATER

METHOD	ANALYTE	PRIMARY
EPA 200.7 REV 4.4	ALUMINIUM	VA
EPA 200.7 REV 4.4	CALCIUM	VA
EPA 200.7 REV 4.4	COPPER	VA
EPA 200.7 REV 4.4	MAGNESIUM	VA
EPA 200.7 REV 4.4	NICKEL	VA
EPA 200.7 REV 4.4	SODIUM	VA
EPA 200.9 REV 2.2	LEAD	VA
EPA 300.0 REV 2.1	FLUORIDE	VA
EPA 335.4 REV 1.0	CYANIDE	VA
EPA 353.2 REV 2	NITRATE-NITRITE AS N	VA
EPA 365.1 REV 2	ORTHOPHOSPHATE AS P	VA
SM 2120 B-2011	COLOR	VA
SM 2510 B-2011	CONDUCTIVITY	VA
SM 5310 C-2011	DISSOLVED ORGANIC CARBON (DOC)	VA
SM 5910 B-2011	UV 254	VA
SM 9223 B COLILERT (P/A)	TOTAL COLIFORMS	VA
SM 9223 B COLILERT QUANTI-TRAY (MPN)	TOTAL COLIFORMS	VA

METHOD	ANALYTE	PRIMARY
EPA 200.7 REV 4.4	BARIUM	VA
EPA 200.7 REV 4.4	CHROMIUM	VA
EPA 200.7 REV 4.4	IRON	VA
EPA 200.7 REV 4.4	MANGANESE	VA
EPA 200.7 REV 4.4	SILVER	VA
EPA 200.7 REV 4.4	ZINC	VA
EPA 300.0 REV 2.1	CHLORIDE	VA
EPA 300.0 REV 2.1	SULFATE	VA
EPA 353.2 REV 2	NITRATE AS N	VA
EPA 353.2 REV 2	NITRITE AS N	VA
SIMPLATE	HETEROTROPHIC PLATE COUNT	VA
SM 2320 B-2011	ALKALINITY AS CaCO3	VA
SM 2540 C-2011	RESIDUE-FILTERABLE (TDS)	VA
SM 5310 C-2011	TOTAL ORGANIC CARBON (TOC)	VA
SM 9223 B COLILERT (P/A)	ESCHERICHIA COLI (E COLI)	VA
SM 9223 B COLILERT QUANTI-TRAY (MPN)	ESCHERICHIA COLI (E COLI)	VA

NON-POTABLE WATER

METHOD	ANALYTE	PRIMARY
COLILERT QUANTI-TRAY (MPN)	ESCHERICHIA COLI (E COLI)	VA
EPA 200.7 REV 4.4	ANTIMONY	VA
EPA 200.7 REV 4.4	BARIUM	VA
EPA 200.7 REV 4.4	BORON	VA
EPA 200.7 REV 4.4	CALCIUM	VA
EPA 200.7 REV 4.4	COBALT	VA
EPA 200.7 REV 4.4	IRON	VA
EPA 200.7 REV 4.4	MAGNESIUM	VA
EPA 200.7 REV 4.4	MOLYBDENUM	VA
EPA 200.7 REV 4.4	POTASSIUM	VA
EPA 200.7 REV 4.4	SILVER	VA
EPA 200.7 REV 4.4	THALLIUM	VA
EPA 200.7 REV 4.4	ZINC	VA
EPA 300.0 REV 2.1	FLUORIDE	VA
EPA 335.4 REV 1.0	CYANIDE	VA
EPA 353.2 REV 2	NITRATE AS N	VA

METHOD	ANALYTE	PRIMARY
EPA 200.7 REV 4.4	ALUMINIUM	VA
EPA 200.7 REV 4.4	ARSENIC	VA
EPA 200.7 REV 4.4	BERYLLIUM	VA
EPA 200.7 REV 4.4	CADMIUM	VA
EPA 200.7 REV 4.4	CHROMIUM	VA
EPA 200.7 REV 4.4	COPPER	VA
EPA 200.7 REV 4.4	LEAD	VA
EPA 200.7 REV 4.4	MANGANESE	VA
EPA 200.7 REV 4.4	NICKEL	VA
EPA 200.7 REV 4.4	SELENIUM	VA
EPA 200.7 REV 4.4	SODIUM	VA
EPA 200.7 REV 4.4	VANADIUM	VA
EPA 300.0 REV 2.1	CHLORIDE	VA
EPA 300.0 REV 2.1	SULFATE	VA
EPA 350.1 REV 2	AMMONIA AS N	VA
EPA 353.2 REV 2	NITRATE-NITRITE AS N	VA



Scope of Accreditation

VELAP Certificate No.: 12788

Blue Ridge Analytical LLC  
 2280 West Ridge Road  
 Wytheville, VA 24382

Virginia Laboratory ID: 460301  
 Effective Date: March 15, 2024  
 Expiration Date: March 14, 2025

NON-POTABLE WATER

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 353.2 REV 2	NITRITE AS N	VA
EPA 6010 C	ANTIMONY	VA
EPA 6010 C	BARIUM	VA
EPA 6010 C	BORON	VA
EPA 6010 C	CALCIUM	VA
EPA 6010 C	COBALT	VA
EPA 6010 C	IRON	VA
EPA 6010 C	MAGNESIUM	VA
EPA 6010 C	MOLYBDENUM	VA
EPA 6010 C	POTASSIUM	VA
EPA 6010 C	SILVER	VA
EPA 6010 C	STRONTIUM	VA
EPA 6010 C	VANADIUM	VA
EPA 7196 A	CHROMIUM VI	VA
EPA 9056 A	CHLORIDE	VA
EPA 9056 A	SULFATE	VA
HACH 8000	CHEMICAL OXYGEN DEMAND (COD)	VA
SM 2340 B-2011	TOTAL HARDNESS AS CaCO3	VA
SM 2540 B-2011	RESIDUE-TOTAL (TS)	VA
SM 2540 D-2011	RESIDUE-NONFILTERABLE (TSS)	VA
SM 3500-CR B-2011	CHROMIUM VI	VA
SM 5210 B-2011	BIOCHEMICAL OXYGEN DEMAND (BOD)	VA
SM 5310 C-2011	TOTAL ORGANIC CARBON (TOC)	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 6010 C	ALUMINIUM	VA
EPA 6010 C	ARSENIC	VA
EPA 6010 C	BERYLLIUM	VA
EPA 6010 C	CADMIUM	VA
EPA 6010 C	CHROMIUM	VA
EPA 6010 C	COPPER	VA
EPA 6010 C	LEAD	VA
EPA 6010 C	MANGANESE	VA
EPA 6010 C	NICKEL	VA
EPA 6010 C	SELENIUM	VA
EPA 6010 C	SODIUM	VA
EPA 6010 C	THALLIUM	VA
EPA 6010 C	ZINC	VA
EPA 9012 B	CYANIDE, TOTAL	VA
EPA 9056 A	FLUORIDE	VA
EPA 9060 A	TOTAL ORGANIC CARBON (TOC)	VA
SM 2320 B-2011	ALKALINITY AS CaCO3	VA
SM 2510 B-2011	CONDUCTIVITY	VA
SM 2540 C-2011	RESIDUE-FILTERABLE (TDS)	VA
SM 2540 F-2011	RESIDUE-SETTLABLE	VA
SM 4500-NH3 D-2011	AMMONIA AS N	VA
SM 5210 B-2011	CARBONACEOUS BOD (CBOD)	VA
SM 9221 E + C-2006	FECAL COLIFORMS	VA

SOLID AND CHEMICAL MATERIALS

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 9095 B	FREE LIQUID	VA
SM 2540 G-2011	RESIDUE-TOTAL (TS)	VA
SM 9221 E + C-2006	FECAL COLIFORMS	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
SM 2320 B-2011	ALKALINITY AS CaCO3	VA
SM 2540 G-2011	RESIDUE-VOLATILE	VA